

O形圈-AS568系列

编号	类型	截径	内径
1	O形圈-AS568	1.02±0.07	0.74
2	O形圈-AS568	1.27±0.07	1.07
3	O形圈-AS568	1.52±0.07	1.42
4	O形圈-AS568	1.78±0.07	1.78
5	O形圈-AS568	1.78±0.07	2.57
6	O形圈-AS568	1.78±0.07	2.9
7	O形圈-AS568	1.78±0.07	3.68
8	O形圈-AS568	1.78±0.07	4.47
9	O形圈-AS568	1.78±0.07	5.28
10	O形圈-AS568	1.78±0.07	6.07
11	O形圈-AS568	1.78±0.07	7.65
12	O形圈-AS568	1.78±0.07	9.25
13	O形圈-AS568	1.78±0.07	10.82
14	O形圈-AS568	1.78±0.07	12.42
15	O形圈-AS568	1.78±0.07	14
16	O形圈-AS568	1.78±0.07	15.6
17	O形圈-AS568	1.78±0.07	17.17
18	O形圈-AS568	1.78±0.07	18.77
19	O形圈-AS568	1.78±0.07	20.35
20	O形圈-AS568	1.78±0.07	21.95
21	O形圈-AS568	1.78±0.07	23.52
22	O形圈-AS568	1.78±0.07	25.12
23	O形圈-AS568	1.78±0.07	26.7
24	O形圈-AS568	1.78±0.07	28.3
25	O形圈-AS568	1.78±0.07	29.87
26	O形圈-AS568	1.78±0.07	31.47
27	O形圈-AS568	1.78±0.07	33.05
28	O形圈-AS568	1.78±0.07	34.65
29	O形圈-AS568	1.78±0.07	37.82
30	O形圈-AS568	1.78±0.07	41
31	O形圈-AS568	1.78±0.07	44.17
32	O形圈-AS568	1.78±0.07	47.35
33	O形圈-AS568	1.78±0.07	50.52
34	O形圈-AS568	1.78±0.07	53.7
35	O形圈-AS568	1.78±0.07	56.87
36	O形圈-AS568	1.78±0.07	60.05
37	O形圈-AS568	1.78±0.07	63.22

编号	类型	截径	内径
38	O形圈-AS568	1.78±0.07	66.05
39	O形圈-AS568	1.78±0.07	69.57
40	O形圈-AS568	1.78±0.07	72.75
41	O形圈-AS568	1.78±0.07	72.92
42	O形圈-AS568	1.78±0.07	82.27
43	O形圈-AS568	1.78±0.07	88.62
44	O形圈-AS568	1.78±0.07	94.97
45	O形圈-AS568	1.78±0.07	101.32
46	O形圈-AS568	1.78±0.07	107.67
47	O形圈-AS568	1.78±0.07	114.02
48	O形圈-AS568	1.78±0.07	120.37
49	O形圈-AS568	1.78±0.07	126.72
50	O形圈-AS568	1.78±0.07	133.07
102	O形圈-AS568	2.62±0.07	1.24
103	O形圈-AS568	2.62±0.07	2.06
104	O形圈-AS568	2.62±0.07	2.84
105	O形圈-AS568	2.62±0.07	3.63
106	O形圈-AS568	2.62±0.07	4.42
107	O形圈-AS568	2.62±0.07	5.23
108	O形圈-AS568	2.62±0.07	6.02
109	O形圈-AS568	2.62±0.07	7.59
110	O形圈-AS568	2.62±0.07	9.19
111	O形圈-AS568	2.62±0.07	10.77
112	O形圈-AS568	2.62±0.07	12.37
113	O形圈-AS568	2.62±0.07	13.94
114	O形圈-AS568	2.62±0.07	15.54
115	O形圈-AS568	2.62±0.07	17.12
116	O形圈-AS568	2.62±0.07	18.72
117	O形圈-AS568	2.62±0.07	20.29
118	O形圈-AS568	2.62±0.07	21.89
119	O形圈-AS568	2.62±0.07	23.46
120	O形圈-AS568	2.62±0.07	25.07
121	O形圈-AS568	2.62±0.07	26.64
122	O形圈-AS568	2.62±0.07	28.24
123	O形圈-AS568	2.62±0.07	29.82
124	O形圈-AS568	2.62±0.07	31.42
125	O形圈-AS568	2.62±0.07	32.99

O形圈-AS568系列

编号	类型	截径	内径
126	O形圈-AS568	2.62±0.07	34.59
127	O形圈-AS568	2.62±0.07	36.17
128	O形圈-AS568	2.62±0.07	37.77
129	O形圈-AS568	2.62±0.07	39.34
130	O形圈-AS568	2.62±0.07	40.94
131	O形圈-AS568	2.62±0.07	42.52
132	O形圈-AS568	2.62±0.07	44.12
133	O形圈-AS568	2.62±0.07	45.69
134	O形圈-AS568	2.62±0.07	47.29
135	O形圈-AS568	2.62±0.07	48.9
136	O形圈-AS568	2.62±0.07	50.47
137	O形圈-AS568	2.62±0.07	52.07
138	O形圈-AS568	2.62±0.07	53.64
139	O形圈-AS568	2.62±0.07	55.24
140	O形圈-AS568	2.62±0.07	56.82
141	O形圈-AS568	2.62±0.07	58.42
142	O形圈-AS568	2.62±0.07	59.99
143	O形圈-AS568	2.62±0.07	61.59
144	O形圈-AS568	2.62±0.07	63.17
145	O形圈-AS568	2.62±0.07	64.77
146	O形圈-AS568	2.62±0.07	66.34
147	O形圈-AS568	2.62±0.07	67.94
148	O形圈-AS568	2.62±0.07	69.52
149	O形圈-AS568	2.62±0.07	71.12
150	O形圈-AS568	2.62±0.07	72.69
151	O形圈-AS568	2.62±0.07	75.87
152	O形圈-AS568	2.62±0.07	82.22
153	O形圈-AS568	2.62±0.07	88.57
154	O形圈-AS568	2.62±0.07	94.92
155	O形圈-AS568	2.62±0.07	101.27
156	O形圈-AS568	2.62±0.07	107.62
157	O形圈-AS568	2.62±0.07	113.97
158	O形圈-AS568	2.62±0.07	120.32
159	O形圈-AS568	2.62±0.07	126.67
160	O形圈-AS568	2.62±0.07	133.02
161	O形圈-AS568	2.62±0.07	139.37
162	O形圈-AS568	2.62±0.07	145.72

编号	类型	截径	内径
163	O形圈-AS568	2.62±0.07	152.07
164	O形圈-AS568	2.62±0.07	158.42
165	O形圈-AS568	2.62±0.07	164.77
166	O形圈-AS568	2.62±0.07	171.12
167	O形圈-AS568	2.62±0.07	177.47
168	O形圈-AS568	2.62±0.07	183.82
169	O形圈-AS568	2.62±0.07	190.17
170	O形圈-AS568	2.62±0.07	196.52
171	O形圈-AS568	2.62±0.07	202.87
172	O形圈-AS568	2.62±0.07	209.22
173	O形圈-AS568	2.62±0.07	215.57
174	O形圈-AS568	2.62±0.07	221.92
175	O形圈-AS568	2.62±0.07	228.27
176	O形圈-AS568	2.62±0.07	234.62
177	O形圈-AS568	2.62±0.07	240.97
178	O形圈-AS568	2.62±0.07	247.32
201	O形圈-AS568	3.53±0.10	4.34
202	O形圈-AS568	3.53±0.10	5.94
203	O形圈-AS568	3.53±0.10	7.52
204	O形圈-AS568	3.53±0.10	9.12
205	O形圈-AS568	3.53±0.10	10.69
206	O形圈-AS568	3.53±0.10	12.29
207	O形圈-AS568	3.53±0.10	13.87
208	O形圈-AS568	3.53±0.10	15.47
209	O形圈-AS568	3.53±0.10	17.04
210	O形圈-AS568	3.53±0.10	18.64
211	O形圈-AS568	3.53±0.10	20.22
212	O形圈-AS568	3.53±0.10	21.82
213	O形圈-AS568	3.53±0.10	23.39
214	O形圈-AS568	3.53±0.10	24.99
215	O形圈-AS568	3.53±0.10	26.57
216	O形圈-AS568	3.53±0.10	28.17
217	O形圈-AS568	3.53±0.10	29.74
218	O形圈-AS568	3.53±0.10	31.34
219	O形圈-AS568	3.53±0.10	32.92
220	O形圈-AS568	3.53±0.10	34.52
221	O形圈-AS568	3.53±0.10	36.09

O形圈-AS568系列

编号	类型	截径	内径
222	O形圈-AS568	3.53±0.10	37.69
223	O形圈-AS568	3.53±0.10	40.87
224	O形圈-AS568	3.53±0.10	44.04
225	O形圈-AS568	3.53±0.10	47.22
226	O形圈-AS568	3.53±0.10	50.39
227	O形圈-AS568	3.53±0.10	53.57
228	O形圈-AS568	3.53±0.10	56.74
229	O形圈-AS568	3.53±0.10	59.92
230	O形圈-AS568	3.53±0.10	63.09
231	O形圈-AS568	3.53±0.10	66.27
232	O形圈-AS568	3.53±0.10	69.44
233	O形圈-AS568	3.53±0.10	72.62
234	O形圈-AS568	3.53±0.10	75.79
235	O形圈-AS568	3.53±0.10	78.97
236	O形圈-AS568	3.53±0.10	82.14
237	O形圈-AS568	3.53±0.10	85.32
238	O形圈-AS568	3.53±0.10	88.49
239	O形圈-AS568	3.53±0.10	91.67
240	O形圈-AS568	3.53±0.10	94.84
241	O形圈-AS568	3.53±0.10	98.02
242	O形圈-AS568	3.53±0.10	101.19
243	O形圈-AS568	3.53±0.10	104.37
244	O形圈-AS568	3.53±0.10	107.54
245	O形圈-AS568	3.53±0.10	110.72
246	O形圈-AS568	3.53±0.10	113.89
247	O形圈-AS568	3.53±0.10	117.07
248	O形圈-AS568	3.53±0.10	120.24
249	O形圈-AS568	3.53±0.10	123.42
250	O形圈-AS568	3.53±0.10	126.59
251	O形圈-AS568	3.53±0.10	129.77
252	O形圈-AS568	3.53±0.10	132.94
253	O形圈-AS568	3.53±0.10	136.12
254	O形圈-AS568	3.53±0.10	139.29
255	O形圈-AS568	3.53±0.10	142.47
256	O形圈-AS568	3.53±0.10	145.64
257	O形圈-AS568	3.53±0.10	148.82
258	O形圈-AS568	3.53±0.10	151.99

编号	类型	截径	内径
259	O形圈-AS568	3.53±0.10	158.34
260	O形圈-AS568	3.53±0.10	164.69
261	O形圈-AS568	3.53±0.10	171.04
262	O形圈-AS568	3.53±0.10	177.39
263	O形圈-AS568	3.53±0.10	183.74
264	O形圈-AS568	3.53±0.10	190.09
265	O形圈-AS568	3.53±0.10	196.44
266	O形圈-AS568	3.53±0.10	202.79
267	O形圈-AS568	3.53±0.10	209.14
268	O形圈-AS568	3.53±0.10	215.49
269	O形圈-AS568	3.53±0.10	221.84
270	O形圈-AS568	3.53±0.10	228.19
271	O形圈-AS568	3.53±0.10	234.54
272	O形圈-AS568	3.53±0.10	240.89
273	O形圈-AS568	3.53±0.10	247.24
274	O形圈-AS568	3.53±0.10	253.59
275	O形圈-AS568	3.53±0.10	266.29
276	O形圈-AS568	3.53±0.10	278.99
277	O形圈-AS568	3.53±0.10	291.69
278	O形圈-AS568	3.53±0.10	304.39
279	O形圈-AS568	3.53±0.10	329.79
280	O形圈-AS568	3.53±0.10	355.19
281	O形圈-AS568	3.53±0.10	380.59
282	O形圈-AS568	3.53±0.10	405.26
283	O形圈-AS568	3.53±0.10	430.66
284	O形圈-AS568	3.53±0.10	456.06
309	O形圈-AS568	5.33±0.12	10.46
310	O形圈-AS568	5.33±0.12	12.06
311	O形圈-AS568	5.33±0.12	13.64
312	O形圈-AS568	5.33±0.12	15.24
313	O形圈-AS568	5.33±0.12	16.81
314	O形圈-AS568	5.33±0.12	18.42
315	O形圈-AS568	5.33±0.12	19.99
316	O形圈-AS568	5.33±0.12	21.59
317	O形圈-AS568	5.33±0.12	23.16
318	O形圈-AS568	5.33±0.12	24.76
319	O形圈-AS568	5.33±0.12	26.34

O形圈-AS568系列

编号	类型	截径	内径
320	O形圈-AS568	5.33±0.12	27.94
321	O形圈-AS568	5.33±0.12	29.51
322	O形圈-AS568	5.33±0.12	31.12
323	O形圈-AS568	5.33±0.12	32.69
324	O形圈-AS568	5.33±0.12	34.29
325	O形圈-AS568	5.33±0.12	37.46
326	O形圈-AS568	5.33±0.12	40.64
327	O形圈-AS568	5.33±0.12	43.82
328	O形圈-AS568	5.33±0.12	46.99
329	O形圈-AS568	5.33±0.12	50.16
330	O形圈-AS568	5.33±0.12	53.34
331	O形圈-AS568	5.33±0.12	56.52
332	O形圈-AS568	5.33±0.12	59.69
333	O形圈-AS568	5.33±0.12	62.89
334	O形圈-AS568	5.33±0.12	66.04
335	O形圈-AS568	5.33±0.12	69.22
336	O形圈-AS568	5.33±0.12	72.39
337	O形圈-AS568	5.33±0.12	75.56
338	O形圈-AS568	5.33±0.12	78.74
339	O形圈-AS568	5.33±0.12	81.92
340	O形圈-AS568	5.33±0.12	85.09
341	O形圈-AS568	5.33±0.12	88.26
342	O形圈-AS568	5.33±0.12	91.44
343	O形圈-AS568	5.33±0.12	94.62
344	O形圈-AS568	5.33±0.12	97.79
345	O形圈-AS568	5.33±0.12	100.96
346	O形圈-AS568	5.33±0.12	104.14
347	O形圈-AS568	5.33±0.12	107.32
348	O形圈-AS568	5.33±0.12	110.49
349	O形圈-AS568	5.33±0.12	113.66
350	O形圈-AS568	5.33±0.12	116.84
351	O形圈-AS568	5.33±0.12	120.02
352	O形圈-AS568	5.33±0.12	123.19
353	O形圈-AS568	5.33±0.12	126.36
354	O形圈-AS568	5.33±0.12	129.54
355	O形圈-AS568	5.33±0.12	132.72
356	O形圈-AS568	5.33±0.12	135.89

编号	类型	截径	内径
357	O形圈-AS568	5.33±0.12	139.07
358	O形圈-AS568	5.33±0.12	142.24
359	O形圈-AS568	5.33±0.12	145.42
360	O形圈-AS568	5.33±0.12	148.59
361	O形圈-AS568	5.33±0.12	151.77
362	O形圈-AS568	5.33±0.12	158.12
363	O形圈-AS568	5.33±0.12	164.47
364	O形圈-AS568	5.33±0.12	170.82
365	O形圈-AS568	5.33±0.12	177.17
366	O形圈-AS568	5.33±0.12	183.52
367	O形圈-AS568	5.33±0.12	189.86
368	O形圈-AS568	5.33±0.12	196.22
369	O形圈-AS568	5.33±0.12	202.57
370	O形圈-AS568	5.33±0.12	208.92
371	O形圈-AS568	5.33±0.12	215.27
372	O形圈-AS568	5.33±0.12	221.62
373	O形圈-AS568	5.33±0.12	227.97
374	O形圈-AS568	5.33±0.12	234.32
375	O形圈-AS568	5.33±0.12	240.67
376	O形圈-AS568	5.33±0.12	247.02
377	O形圈-AS568	5.33±0.12	253.37
378	O形圈-AS568	5.33±0.12	266.07
379	O形圈-AS568	5.33±0.12	278.77
380	O形圈-AS568	5.33±0.12	291.47
381	O形圈-AS568	5.33±0.12	304.17
382	O形圈-AS568	5.33±0.12	329.57
383	O形圈-AS568	5.33±0.12	354.95
384	O形圈-AS568	5.33±0.12	380.37
385	O形圈-AS568	5.33±0.12	405.26
386	O形圈-AS568	5.33±0.12	430.66
387	O形圈-AS568	5.33±0.12	456.5
388	O形圈-AS568	5.33±0.12	481.46
425	O形圈-AS568	6.98±0.15	113.66
426	O形圈-AS568	6.98±0.15	116.84
427	O形圈-AS568	6.98±0.15	120.02
428	O形圈-AS568	6.98±0.15	123.19
429	O形圈-AS568	6.98±0.15	126.36

O形圈-AS568系列

编号	类型	截径	内径
430	O形圈-AS568	6.98±0.15	129.54
431	O形圈-AS568	6.98±0.15	132.72
432	O形圈-AS568	6.98±0.15	135.89
433	O形圈-AS568	6.98±0.15	139.06
434	O形圈-AS568	6.98±0.15	142.24
435	O形圈-AS568	6.98±0.15	145.42
436	O形圈-AS568	6.98±0.15	148.59
437	O形圈-AS568	6.98±0.15	151.76
438	O形圈-AS568	6.98±0.15	158.12
439	O形圈-AS568	6.98±0.15	164.46
440	O形圈-AS568	6.98±0.15	170.82
441	O形圈-AS568	6.98±0.15	177.16
442	O形圈-AS568	6.98±0.15	183.52
443	O形圈-AS568	6.98±0.15	189.86
444	O形圈-AS568	6.98±0.15	196.22
445	O形圈-AS568	6.98±0.15	202.56
446	O形圈-AS568	6.98±0.15	215.26
447	O形圈-AS568	6.98±0.15	227.96
448	O形圈-AS568	6.98±0.15	240.66
449	O形圈-AS568	6.98±0.15	253.36
450	O形圈-AS568	6.98±0.15	266.06
451	O形圈-AS568	6.98±0.15	278.76
452	O形圈-AS568	6.98±0.15	291.46
453	O形圈-AS568	6.98±0.15	304.16
454	O形圈-AS568	6.98±0.15	316.86
455	O形圈-AS568	6.98±0.15	329.56
456	O形圈-AS568	6.98±0.15	342.26
457	O形圈-AS568	6.98±0.15	354.96
458	O形圈-AS568	6.98±0.15	367.66
459	O形圈-AS568	6.98±0.15	380.36
460	O形圈-AS568	6.98±0.15	393.06
461	O形圈-AS568	6.98±0.15	405.26
462	O形圈-AS568	6.98±0.15	417.96
463	O形圈-AS568	6.98±0.15	430.66
464	O形圈-AS568	6.98±0.15	443.36
465	O形圈-AS568	6.98±0.15	456.06
466	O形圈-AS568	6.98±0.15	468.76

编号	类型	截径	内径
467	O形圈-AS568	6.98±0.15	481.46
468	O形圈-AS568	6.98±0.15	494.16
901	O形圈-AS568	1.42±0.07	4.7
902	O形圈-AS568	1.63±0.07	6.07
903	O形圈-AS568	1.63±0.07	7.64
904	O形圈-AS568	1.83±0.07	8.92
905	O形圈-AS568	1.83±0.07	10.52
906	O形圈-AS568	1.98±0.07	11.89
907	O形圈-AS568	2.08±0.07	13.46
908	O形圈-AS568	2.21±0.07	16.36
909	O形圈-AS568	2.46±0.07	17.93
910	O形圈-AS568	2.46±0.07	19.18
911	O形圈-AS568	2.95±0.10	21.92
912	O形圈-AS568	2.95±0.10	23.47
913	O形圈-AS568	2.95±0.10	25.04
914	O形圈-AS568	2.95±0.10	26.59
916	O形圈-AS568	2.95±0.10	29.74
918	O形圈-AS568	2.95±0.10	34.42
920	O形圈-AS568	3.00±0.10	37.46
924	O形圈-AS568	3.00±0.10	43.69
928	O形圈-AS568	3.00±0.10	53.09
932	O形圈-AS568	3.00±0.10	59.36